

STRACTION
" X 100' (SEE
HEET 3.00-4)

LIMIT OF DISTURBANCE
= 140,000 SF (3.21 ACRES)
SILT FENCE (SEE
DETAIL SHEET 3.00-4)

TRENCH DRAIN 2, GR.: 263.00 (SEE
MEP PLAN SHEETS P-102A & P-104A
FOR ALL INTERNAL CONNECTIONS
INTO PROPOSED STORM SYSTEMS)

EROSION INLET FILTER (TYP.
SEE DETAIL SHEET 3.00-3)

STORM CHAMBER-2
RIM: 271.75
INV.: 256.23 (OUT-18")
INV.: 236.33 (IN-3" & 18")
(SEE DETAIL SHEET 3.00-7)

18" HOPE 12 LF
@ 1.00% SLOPE
CB-1 TYPE 'A' INLET
GR.: 272.42
INV.: 256.11

CLEANOUT-1
RIM: 271.05, INV.: 265.80
10" STORM CONNECTION
(SEE MEP PLAN SHEETS
P-103 & P-106 FOR DETAILS)

CLEANOUT-2
RIM: 269.50, INV.: 255.15
10" STORM CONNECTION
(SEE MEP PLAN SHEETS
P-103 & P-106 FOR DETAILS)

STORM INH-3
RIM: 268.00
INV.: 254.92

BACKFLOW PREVENTER

12" PVC HEADER 176 LF FOR
ROOF DOWNSPOUTS W/
CLEANOUT @ MIN. 4.00% SLOPE
(SEE ARCHITECTURAL PLAN
SHEET A-210 FOR DETAILS)

DECK SCUPPER-3
GR.: 264.75 (SEE MEP PLAN SHEETS
P-104A & P-104B FOR ALL DETAILS
AND INTERNAL PIPE CONNECTIONS)

DECK SCUPPER-4
GR.: 267.75 (SEE MEP PLAN SHEETS
P-104A & P-104B FOR ALL DETAILS
AND INTERNAL PIPE CONNECTIONS)

DECK SCUPPER-1 GR.: 264.00
(SEE MEP PLAN SHEETS P-104A
& P-104B FOR ALL DETAILS &
INTERNAL PIPE CONNECTIONS)

DECK SCUPPER-2 GR.: 264.00
(SEE MEP PLAN SHEETS P-104A
& P-104B FOR ALL DETAILS &
INTERNAL PIPE CONNECTIONS)

DECK SCUPPER-5 GR.: 264.00
(SEE MEP PLAN SHEETS P-104A
& P-104B FOR ALL DETAILS &
INTERNAL PIPE CONNECTIONS)

DECK SCUPPER-7
(SEE MEP PLANS
& P-104B FOR ALL
INTERNAL PIPE CI)

PROPOSED 12" STORM DRAIN FROM
SCUPPER-2 (SEE MEP PLAN SHEETS
P-104A & P-104B FOR ALL DETAILS
AND INTERNAL PIPE CONNECTIONS)

CLEANOUT-4

PROPOSED 12" STORM DRAIN FROM

CLEANOUT-5

